

Submitting Samples to UPHL for Ebola Virus Disease (EVD) Testing

Key Points

- Utah Public Health Laboratory (UPHL) will accept specimens for Ebola virus testing after consultation with the State Epidemiologist and CDC.
- Immediately report suspect cases to your local health department and the Utah Department of Health (UDOH). Call 1-888-374-8824 to reach the UDOH epidemiologist on call.
- Ruling in or ruling out Ebola in persons arriving in the U.S. from affected countries requires careful consideration of clinical, epidemiological and laboratory data by persons familiar with Ebola Virus Disease (EVD). Consultation with CDC (and a CDC PUI case number) is therefore required for every case tested with the LRN deployed assay. UDOH will facilitate this consultation.
- Call 801-965-2561 or 801-560-6586 to contact a UPHL BT Team member and initiate required sample submission paperwork.
- Sample requirements:
 - 2 plastic EDTA (lavender/purple top) tubes each containing a minimum of 4 mL of blood, bagged separately
 - Packaged and transported to UPHL as Category A Infectious Substance. (Both tubes may be packaged and transported to UPHL in the same Category A shipper.)

INTENDED USE STATEMENT

NOTE: The following pertains specifically only to the Ebola Zaire virus detected in the West Africa outbreak in 2014.

The Ebola Virus NP Real-time RT-PCR Assay (EBOV NP rRT-PCR) is intended for the in vitro qualitative detection of Ebola virus RNA (species *Zaire ebolavirus* and hereafter referred to as Ebola virus) in clinical specimens, including whole blood, serum, plasma, and urine, from individuals meeting Ebola virus clinical and/or epidemiological criteria (for example, clinical signs and symptoms associated with Ebola, contact with a probable or confirmed Ebola virus case, history of travel to geographic locations where Ebola virus cases were detected, or other epidemiologic links for which Ebola virus testing may be indicated as part of a public health investigation), in qualified laboratories designated by the Centers for Disease Control and Prevention (CDC).

Testing with the EBOV NP rRT-PCR should not be performed unless the patient meets clinical and/or epidemiological criteria for testing suspect specimens. Current information on Ebola virus, including case definitions, is available at http://www.cdc.gov/vhf/ebola/index.html.

(For Utah-specific guidance on management of PUIs see

http://health.utah.gov/epi/diseases/ebola/Utah Ebola PUI manage.pdf.) Assay results are for the presumptive identification of Ebola virus and intended for use as part of a multi-test algorithm to detect the presence of

Ebola virus RNA. Laboratories are required to report results to the appropriate public health authorities. Within the United States, results must be reported to CDC. The definitive identification of Ebola virus requires additional testing to be performed by CDC or by designated laboratories in consultation with CDC. The diagnosis of Ebola must be made based on history, signs, symptoms, exposure likelihood, and other laboratory evidence, in addition to the detection of Ebola virus RNA.

Negative EBOV NP rRT-PCR results do not preclude Ebola virus infection and should not be used as the sole basis for patient management decisions.

The EBOV NP rRT-PCR is only for use under the Food and Drug Administration's Emergency Use Authorization. Use within the United States is limited to qualified laboratories designated by CDC, which includes qualified laboratories with training, facilities, and equipment appropriate for specimen handling, testing, and interpretation of the results of this real-time RT-PCR assay. Information about this EUA, including the letter of authorization from the U.S. Food and Drug Administration (FDA) to DoD outlining conditions of the authorization, may be found on the FDA website:

http://www.fda.gov/MedicalDevices/Safety/EmergencySituations/ucm161496.htm

Communication/Reporting to Public Health Reminder

It is *critical* for health care providers to first contact Local and State public health for consultation if they have a PUI. If further communication with CDC is necessary, that contact should be initiated through the Utah Department of Health. A delay in public health knowing about a patient first may cause a loss of valuable time and resources in ensuring that the patient and contacts are managed properly and testing is expedited.

When Should Specimens be Collected for Ebola Testing at UPHL?

Ebola virus is detected in blood only after the onset of symptoms, usually fever. It may take up to 3 days after symptoms appear for the virus to reach detectable levels. Virus is generally detectable by real-time RT-PCR from 3-10 days after symptoms appear.

Specimens should be taken as soon as possible after a symptomatic patient reports to a health care facility and is suspected of having an Ebola exposure. If the first test is negative, a second test should be performed at 72 hours after the onset of symptoms to rule out Ebola. All positive assay results must be confirmed by the CDC.

Preferred Specimens for Ebola Testing

For each test, collect two (2) plastic EDTA (lavender/purple top) tubes each containing a minimum of 4 mL of blood. Label each specimen with patient's name or ID number, specimen ID number, and date of collection (testing cannot be performed if specimens are not labeled). One specimen will be tested at UPHL and the other will forwarded by UPHL to the CDC for confirmatory testing. Each institution should develop protocols to safely collect, handle and transport specimens to the institution's laboratory. These protocols should include details on how the guidance below (based on CDC guidance at http://www.cdc.gov/vhf/ebola/hcp/interim-guidance-specimen-collection-submission-patients-suspected-infection-ebola.html) will be implemented in the institution. It is advisable that the institution's personnel who will be participating in these procedures in the clinical setting and in the laboratory conduct drills to ensure proficiency.

Specimens collected for Ebola testing at UPHL/CDC should be packaged and shipped without attempting to open collection tubes or aliquot specimens. If additional testing is to be performed at your institution, please collect separate specimens for that testing.

Bag each tube separately.

Do not submit specimens in glass containers or in heparinized tubes.

Specimens should be immediately stored and/or transported at 2-8°C on cold-packs.

Improper collection, storage, or transport of specimens may lead to false negative results.

All laboratorians and other health care personnel collecting or handling specimens must follow established standards compliant with the <u>OSHA bloodborne pathogens standards</u>, which includes blood and other potentially infectious materials. These standards include wearing appropriate personal protective equipment (PPE) and following all safety rules for all specimens regardless of whether they are identified as being infectious.

Recommendations for specimen collection by staff: Any person collecting specimens from a patient with a case of suspected Ebola virus disease (EVD) should wear gloves, water-resistant gowns, full face shield or goggles, and masks to cover all of nose and mouth. **Additional PPE may be required in certain situations.**

Transporting Specimens within the Hospital / Institution

In compliance with 29 CFR 1910.1030, specimens should be placed in a durable, leak-proof secondary container for transport within a facility. To reduce the risk of breakage or leaks, do not use any pneumatic tube system for transporting suspected EVD specimens.

Spill Clean-up

In the case of a spill in the laboratory, the basic principles for blood or body substance spill management are outlined in the OSHA bloodborne pathogens standards (see above link). There are no disinfection products with specific label claims against the Ebola virus. Enveloped viruses such as Ebola are susceptible to a broad range of hospital disinfectants used to disinfect hard, non-porous surfaces. In contrast, non-enveloped viruses are more resistant to disinfectants. As an added precaution, use a disinfectant with a higher potency than what is normally required for an enveloped virus to disinfect potentially Ebola-contaminated surfaces. EPA-registered hospital disinfectants with label claims against non-enveloped viruses (e.g., norovirus, rotavirus, adenovirus, poliovirus) are broadly antiviral and capable of inactivating both enveloped and non-enveloped viruses.


See the <u>Interim Guidance for Environmental Infection Control in Hospitals for Ebola Virus</u> for recommendations regarding the cleaning and disinfection of patient care area surfaces including the management of blood and body fluid spills. These recommendations also apply to cleaning and disinfecting in a laboratory where specimens are being processed from persons under investigation, or with probable or confirmed Ebola virus infections.

Packaging and Transporting Specimens to UPHL

It is the responsibility of the institution submitting samples, as shipper, to correctly package and label specimens to meet shipping regulations. Individuals packaging and shipping specimens for Ebola testing should use packing instruction 620, International Air Transport Association (IATA) guidelines for Category A, which utilizes a triple packaging system. A trained and certified individual is required to package specimens using Category A guidelines. Please follow these steps:

- Check that the primary specimen tube cap is securely closed.
- Ensure patient's name and second identifier are on the specimen tube and match information on the specimen submission form.
- Place tube in a Biohazard bag with absorbent material.
- Follow exactly all packing instructions provided by the manufacturer of the insulated Category A shipper you are using.
- Place both copies of CDC Form 50.34 in the box before folding the box flaps down and securing them with sealing tape. Do not put paperwork in the same bag as the specimens.
- Mark and label (or mark out, as appropriate) the outside of the shipper appropriately. Markings and labels must include:
 - o Shipper's and consignee's name and addresses
 - Responsible person name and telephone number of someone at your facility who can answer questions about the shipment.
 - o A Class 6 diamond-shaped "Infectious Substance" label.
 - A label with proper shipping name and UN number (UN2814, Infectious Substance, Affecting Humans (Suspected Category A Infectious Substance).
 - o If the package contains more than 50 mL of a liquid or frozen liquid, it must have orientation marks arrows on opposite sides of the package.
 - o Category A outer packages also must have a "UN" label (from the manufacturer).
- Fill out a Shipper's Declaration for Dangerous Goods form and include it with the package (specific instructions for filling out this form may be found at the end of this document).
- Packages transported by courier should also be accompanied by written emergency response information.

FIGURE 4. A completely labeled outer package. The primary container inside contains a liquid Category A infectious substance and is packed according to PI 620



Abbreviation: PI = packing instructions.

Test Turn-around-time

Test results should normally be available within six (6) hours after specimens are received by the UPHL BT Team.

Results Reporting

Specimens that test **positive** using this assay will be reported as "Presumptive positive for Ebola Zaire RNA by real time RT-PCR. False positive results can occur. Sample is being submitted to CDC for additional evaluation."

Specimens that test **negative** will be reported as "Negative for Ebola Zaire virus by real time reverse transcriptase PCR. If fever or symptoms have been present for less than 72 hours, a repeat test may be required to rule out Ebola virus infection. If Lassa fever is a consideration (e.g. recent travel to West Africa), please refer the specimen to CDC for Lassa fever testing."

Important information about RT-PCR testing for Ebola virus

- A negative RT-PCR test result for Ebola virus from a blood specimen collected less than 72 hours after onset of symptoms **does not necessarily rule out Ebola virus infection** and should not be the sole basis of a patient treatment/management decision.
 - o If the patient is still symptomatic after 72 hours, the test should be repeated.
 - o If the patient has recovered from the illness that brought them to medical attention, a repeat test is not required.
- A negative RT-PCR test result for Ebola virus from a blood specimen collected more than 72 hours after symptom onset rules out Ebola virus infection.
- Positive Ebola virus RT-PCR results are considered **presumptive** until confirmed by CDC.
- False positive results may occur from cross-contamination by target organisms, their nucleic acids or amplified product.
- Improper collection, storage, or transport of specimens may lead to false negative results.
- Specimens from patients who have received therapeutics or vaccines based on nucleic acid sequences derived from Ebola Zaire virus may exhibit false positive or other confounding test results.

Testing When Public Health Officials Determine It Is Not Indicated

Testing performed on individuals who do not meet the intended use criteria as defined in FDA labeling or without consultation with public health is not advisable and carries inherent risk.

- Testing outside the approved parameters of the EUA is considered to be a test modification and the laboratory performing the testing is responsible for establishing and assuring the safety and efficacy of the test in the patient population being tested (e.g. asymptomatic individuals). **UPHL will not perform testing outside the approved parameters of the EUA.**
- A positive result in a patient who is at low risk for EVD may be a false positive and can cause undue public health concern.

•	Patients without symptoms but with risk factors for EVD who are tested outside the recommended
	parameters of the assay may be overly assured by a negative result and not comply with federal or state
	Movement and Monitoring requirements or seek medical care if symptoms develop.

•	Individuals with a travel history to West Africa may be at risk for other infectious diseases including
	malaria and other viral hemorrhagic diseases (Lassa Fever, Marburg). All risk factors must be assessed
	and testing for other conditions should be considered.

Procedure for Submitting Samples to UPHL

- 1. Immediately report suspect cases to your local health department and Utah Department of Health (UDOH). Call 1-888-374-8824 to reach the UDOH epidemiologist on call.
- 2. Collect two 4 mL EDTA blood tubes (lavender/purple top). Bag each tube separately. Collect, prepare, and store specimen(s) according to the above guidance and <u>CDC's interim guidance</u> (http://www.cdc.gov/vhf/ebola/hcp/interim-guidance-specimen-collection-submission-patients-suspected-infection-ebola.html).
- 3. Contact a UPHL BT Team member at 801-965-2561 (office) or 801-560-6586 (24/7 BT phone *see note below) for a CDC Specimen Submission Form 50.34, which is required for specimen submission. This person will be your UPHL Contact for this process. This person will provide you their contact information. Please provide a valid email address for the point of contact at your institution.
 - *NOTE: 801-560-6586 is a 24/7 number that is often forwarded to one of the BT Team's personal phones (Kim, Annette, Jenni, and Lori). If you get voicemail when calling one of the above numbers, please leave a message with your contact information before calling the next number. You may also call Kim's cell 801-560-6816.
- 4. UPHL will fill out the following sections of Form 50.34:

STATE PHL Info

LABORATORY EXAMINATION REQUIRED

- →Test order Code
- →Test order name
- \rightarrow Suspected agent
- →At CDC, bring to the Attention of

PATIENT INFORMATION

- →Patient Name
- \rightarrow Birthdate
- \rightarrow Age
- \rightarrow Age Units
- \rightarrow Sex
- 5. UPHL will then log the sample in their database, assign a UPHL accession number, and email the CDC Specimen Submission Form 50.34 to you.
- 6. You will fill out the following sections (online, please CDC will not accept hand-written forms): LABORATORY EXAMINATION REQUIRED
 - →Date sent to CDC

PATIENT INFORMATION

- **→Clinical Diagnosis**
- →Date of Onset

Utah Public Health Laboratory
4431 South 2700 West • Taylorsville, UT 84129-6000
Phone (801) 965-2400 • Fax (801) 965-2520
Web: www.health.utah.gov/lab

→Fatal/Date of Death SPECIMEN INFORMATION

ORIGINAL SUBMITTER

→Including Specimen ID

INTERMEDIATE SUBMITTER (→if needed)

PATIENT HISTORY

- →Brief Clinical History
- →State of Illness
- \rightarrow Type of infection
- \rightarrow Therapeutic Agent(s) During Illness

EPIDEMIOLOGICAL DATA

- \rightarrow Extent
- →Travel History
- →Exposure History
- → Relevant Immunization History

PREVIOUS LABORATORY RESULTS/COMMENTS (as available)

- 7. Email the completed CDC Form 50.34 back to your UPHL Contact (and to kchriste@utah.gov) for their records and print two (2) copies of the form to send with your specimen (barcodes will be generated on the form upon printing).
- 8. UPHL will fill out the Viral Special Pathogens Branch (VSPB) form.
- 9. Follow UPHL instructions for packaging, marking, labeling, and transporting the sample to UPHL.

For additional resources regarding Ebola virus, including disease reporting requirements, investigative guidelines, and additional links to the CDC, visit the CDC Ebola Information Page at http://www.cdc.gov/vhf/ebola/.

Dangerous Goods Shipper's Declaration

How to fill out the declaration of dangerous goods form, 11-19-2014

A fillable form can be found at http://www.iata.org/whatwedo/cargo/dgr/Documents/Shippers-Declaration-Column-Format-Fillable.pdf

- **1. Shipper:** Enter the full name and address of the shipper.
- 2. Consignee: Enter the full name and address of the consignee.

Utah Public Health Laboratory 4431 South 2700 West Taylorsville, UT 84129

- 3. Air Waybill number: Enter the number of the air waybill. If transporting by courier, leave this blank.
- **4. Page of pages:** Enter the page number and the total number of pages.

Utah Public Health Laboratory
4431 South 2700 West • Taylorsville, UT 84129-6000
Phone (801) 965-2400 • Fax (801) 965-2520
Web: www.health.utah.gov/lab

- **5. Airport of departure:** Enter the full name of the city or airport of departure. Do not use the three-letter airport code. If transporting by courier, leave this blank.
- **6. Airport of destination:** Enter the full name of the city or airport of destination. Do not use the three-letter airport code. <u>If transporting by courier</u>, leave this blank.
- 7. Nature and quantity of dangerous goods: The following should be included in this section:
 - UN or ID no.: Enter UN2814 for the specimens.
 - Proper shipping name: Enter Infectious Substance, Affecting Humans with the technical name (Suspected Category A Infectious Substance). Do not enter any other technical name (genus or species):

Infectious Substance, Affecting Humans (Suspected Category A Infectious Substance)

- Class or division: Enter the number 6.2 for the infectious substance.
- **Packing group:** Leave this blank.
- **Quantity and type of packing:** Enter the total <u>volume</u> (not number) of specimens within the shipping container and the appropriate package type.
- Packing instruction: Enter the number 620.
- Authorization: Leave blank.
- Additional handling information: A telephone number answered by a person 24 hours per day seven days per week must be provided. This person must be knowledgeable of what is being shipped and must be available during the entire time the package is in transit.

If you are including dry ice in your shipment, add the following on an additional line.

- UN or ID no.: Enter UN1845 for dry ice.
- Proper shipping name: Enter Dry Ice or Carbon dioxide, solid.
- Class or division: Enter the number 9 for the dry ice.
- **Packing group:** Leave this blank.
- **Quantity and type of packing:** Enter the total volume of specimens within the shipping container and the appropriate package type.
- Packing instruction: Enter the number 954.
- Authorization: Leave blank.
- Additional handling information: A telephone number answered by a person 24 hours per day seven days per week must be provided. This person must be knowledgeable of what is being shipped and must be available during the entire time the package is in transit.
- **8.** Name and title of signatory: Enter the name and title of the person who is signing the declaration. This information may be printed or stamped (on all copies). Enter the date and the location where the declaration form is signed. The shipper must sign the declaration, and the signature must be written by hand and not typed.
- 9. Place and Date: Enter the place from where the item is being shipped. Enter the date.
- 10. If shipping with FedEx: Four (4) copies of the Shipper's Declaration for Dangerous Goods should be printed in **COLOR**. Forms must have red diagonal hatch marks on the sides. Three (3) copies should be sent with the shipment and the last copy of the Shipper's Declaration of Dangerous Goods should be kept with a copy of the air waybill for two years. If transporting by courier, two (2) copies of the

Shipper's Declaration for Dangerous Goods should be printed (color is optional). Send one copy with the shipment and keep one copy for your records.

321 A	Doe blogy Dept. A1 Labor Analysis Drive Igton, KY 00007	atories		Pag	Air Waybill No. 2223890044905 Page 1 of 1 Pages Shipper's Reference Number (optional)				
Consignee Dr. Jane Doe AAA Reference Laboratories 123 Better Analysis Drive Memphis, TN 00700					For optional use for Company logo name and address				
	pleted and signed cop ad to the operator.	ies of this Declar	ation must		VARNING				
TRANSPORT DETAILS This shipment is within the limitations prescribed for: (delete non-applicable) PASSENGER AND CARGO AIRCRAFT AIRCRAFT ONLY TRANSPORT DETAILS Alroport of Departure: Lexington Lexington					Failure to comply in all respects with the applicable Dangerous Goods Regulations may be in breach of the applicable law, subject to legal penalties.				
	of Destination:	Memphis			Shipment type: (delete non-applicable) NON-RADIOACTIVE RANDARXIXE				
NATURE	AND QUANTITY OF	DANGEROUS Goods Identification							
UN or ID No.	Proper Shipp	ing Name	Class or Division (Subsidiary Risk)	ing		uantity and e of packing	Packing Inst.	Authorization	
UN2814	Infectious substand humans (Suspected Catego Substance)		6.2		1 fibreboa	ard box x 4 mL	620		
Person R Emergen I hereby accurate classifierespects internat	al Handling Informatesponsible and Telescy Contact/Responser y declare that the celly described above ad, packaged, marks in proper conditional and national applicable air transp	contents of this e by the prope ed and labelle on for transpo	consignmer shipping d/placardedort accordingulations.	ent are iname i, and ing to	fully and , and are are in all applicable	Name/Title of Si Jon Doe/Micro Place and Date Lexington, KY Signature (see waming above)	obiologist October 3		